

L Number	Hits	Search Text	DB	Time stamp
-	778201	network or client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:28
-	52250	(network or client) and (bank or financial or currency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:29
-	7381	((network or client) and (bank or financial or currency)) and "third party"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:29
-	7115	((network or client) and (bank or financial or currency)) and "third party") and (associat\$3 relation\$4 link\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:30
-	5131	((network or client) and (bank or financial or currency)) and "third party") and (associat\$3 relation\$4 link\$2)) and group	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:30
-	4876	((network or client) and (bank or financial or currency)) and "third party") and (associat\$3 relation\$4 link\$2)) and group) and (request message receipt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:30
-	3322	((network or client) and (bank or financial or currency)) and "third party") and (associat\$3 relation\$4 link\$2)) and group) and (request message receipt)) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:31
-	3056	((network or client) and (bank or financial or currency)) and "third party") and (associat\$3 relation\$4 link\$2)) and group) and (request message receipt)) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password)) and (encrypt\$3 or decrypt\$3 or encod\$3 or key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:37
-	3056	((network or client) and (bank or financial or currency)) and "third party") and (associat\$3 relation\$4 link\$2)) and group) and (request message receipt)) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password)) and (encrypt\$3 or decrypt\$3 or encod\$3 or key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:37
-	1199	"l8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:00
-	743	("l8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:47
-	506	("l8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:48

-	0	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and ("electronic bank" or "e-bank")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:48
-	203	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:54
-	203	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:55
-	0	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608) and ebank	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:54
-	0	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608) and ("e-bank" or "electronic bank")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:55
-	126	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608) and unique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:42
-	0	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608) and unique) and "value unit"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:56
-	12520	"I1" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:41
-	16896	"I4" and prevent\$31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:41
-	16863	"I4" and prevent\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:41
-	126	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608) and unique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:57
-	5	((("I8" and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)) and (distribute deliver\$3 dispens\$3 assign\$3)) and (identi\$2)) and @ad<19990608) and unique) and (unique adj id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:12

-	2381	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:03
-	2103	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:04
-	512	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:05
-	91	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:10
-	0	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id) and (ebank or "e-bank")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:13
-	91	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:13
-	46	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id) and association	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:14
-	46	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id) and association and access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:14

-	0	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id) and association and resource and (electronic adj bank)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:16
-	45	(network or client) and (bank or financial or currency) and "third party" and (associat\$3 relation\$4 link\$2) and group and (request message receipt) and (unauthorize\$1 or authenticate\$1 or deauthenticate\$1 or password) and (encrypt\$3 or decrypt\$3 or encod\$3 or key) and (tamper\$3 duplicat\$3 copy\$3 corrupt\$3) and (distribute deliver\$3 dispens\$3 assign\$3) and (identi\$2) and @ad<19990608 and unique and (unique adj id) and association and resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:17